

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Husqvarna 2-Stroke Oil HP

of the mixture

Registration number -

Synonyms None.

Product code 587 80 85-01 (0.1L.), 587 80 85-10 (1L.), 587 80 85-11 (1L.), 587 80 85-12 (1L.), 587 80 85-20

(4L.), 587 80 85-30 (20L.), 587 80 85-40 (208L.)

Issue date 02-March-2018

Version number 01
Revision date Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubrication of 2-stroke engine.

Uses advised againstUse in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Company name Husqvarna AB

Drottninggatan 2

561 82 Huskvarna, Sweden

Telephone +46 (0)36-14 65 00 **Contact person** Accessory Department

E-mail sds.info@husqvarnagroup.com

1.4. Emergency telephone

number

+1-760-476-3961 (Access code 333721)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summaryOccupational exposure to the substance or mixture may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

Supplemental label information EUH210 - Safety data sheet available on request.

2.3. Other hazardsNot a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Husqvarna 2-Stroke Oil HP SDS Ireland

General information

Chemical name % CAS-No. / EC No. REACH Registration No. **Notes** Index No. 01-2119826592-36-XXXX Hydrocarbons, C13-C16, n-alkanes, 1 - < 10934-954-2 isoalkanes, cyclics, <0.03% aromatics Classification: Asp. Tox. 1;H304 Polyisobutylene derivative 1 - < 5 Polymer Classification: Aquatic Chronic 3;H412

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in **Composition comments**

percent by volume. The full text for all H-statements is displayed in section 16.

IP346 method DMSO extract for base oil substances: <3.0%.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth, Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

6.4. Reference to other sections

Husqvarna 2-Stroke Oil HP SDS Ireland 2/6

Version #: 01 Revision date: -Issue date: 02-March-2018

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of

the SDS).

Lubrication of 2-stroke engine. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ireland. Occupational Exposure Limits			
Product	Туре	Value	Form
Oil mist, mineral	TWA	5 mg/m3	Inhalable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid. Physical state **Form** Liquid. Colour Blue.

Characteristic. Odour Not available **Odour threshold** Not available. pН Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point 145.0 °C (293.0 °F) (ISO 2592)

Not available **Evaporation rate** Not applicable. Flammability (solid, gas)

Husqvarna 2-Stroke Oil HP SDS Ireland

Version #: 01 Revision date: -Issue date: 02-March-2018 Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available. Vapour pressure Not available. Vapour density Insoluble. Solubility(ies) Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity** Not explosive. **Explosive properties** Not oxidising. Oxidising properties

9.2. Other information

58 mm²/s (40 °C) (ISO 3104) Kinematic viscosity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Based on available data, the classification criteria are not met. Respiratory sensitisation Skin sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Mixture versus substance

information

No information available.

Other information Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

Husqvarna 2-Stroke Oil HP SDS Ireland

Version #: 01 Revision date: -Issue date: 02-March-2018

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

The product is expected to be biodegradable.

12.3. Bioaccumulative potential No data available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.14.7. Transport in bulk Not established.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Husqvarna 2-Stroke Oil HP SDS Ireland

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

15.2. Chemical safety assessment

Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

PBT: Persistent, bioaccumulative, toxic. vPvB: very Persistent, very Bioaccumulative.

References

ECHA CHEM

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

Training information

Follow training instructions when handling this material.

Disclaimer

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Husqvarna 2-Stroke Oil HP SDS Ireland