according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2 Page 1/9



GM+

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

GM+

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Floor Grouting

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Husqvarna Construction Products

Box 2098

SE-55002 Jönköping

Sweden

Telephone: +46 36 570 60 00

E-mail: mikael.stuhrmann@husqvarnagroup.com

Website: www.husqvarnacp.com

1.4. Emergency telephone number

24h: +49(0)89-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information: none

Precautionary statements Prevention	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
EC No.: 215-199-1 REACH No.: 01-2119456888-17-0002	Silicic acid, potassium salt Eye Irrit. 2 (H319), STOT SE 3 (H335), Skin Irrit. 2 (H315)	≤ 10 weight-%

Full text of H- and EUH-phrases: see section 16.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2 Page 2/9



GM+

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

Hazardous combustion products:

Nitrogen oxides (NOx), Carbon dioxide (CO2), Carbon monoxide In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2 Page 3/9



GM+

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water.

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7. Personal protection equipment: see section 8. Disposal: see section 13.

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

Usual measures for fire prevention.

Measures to prevent aerosol and dust generation:

Use only in well-ventilated areas.

Environmental precautions:

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

Wash hands before breaks and after work. Use protective skin cream before handling the product. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Keep/Store only in original container.

Requirements for storage rooms and vessels:

The floor should be leak tight, jointless and not absorbent.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class (TRGS 510, Germany): 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Protect containers against damage. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2 Page 4/9



GM+

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE)	2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7	 ① 0.05 mg/m³ ② 0.1 mg/m³ ⑤ (einatembare Fraktion; kann über die Haut aufgenommen werden) DFG, H, Y
TRGS 900 (DE)	Hydrocarbons, TRGS 900	① 0 mg/m³ ⑤ Mass fraction (wt %): 0

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	1.38 mg/m ³	① DNEL Consumer ② Long-term – inhalation, systemic effects
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	5.61 mg/kg bw/day	① DNEL worker ② Long-term – inhalation, local effects
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	0.74 mg/m ³	① DNEL Consumer ② Long-term - dermal, systemic effects
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	1.49 mg/kg bw/day	① DNEL worker ② Long-term - dermal, local effects
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	0.74 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1	7.5 mg/L	① PNEC aquatic, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures to prevent exposure

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374. Suitable material: Butyl caoutchouc (butyl rubber), Breakthrough time: > 120 min. In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2



Page 5/9 GM+

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: aerosol or mist formation. Filtering device (full mask or mouthpiece) with filter: P2

Other protection measures:

Avoid dust formation. Do not breathe dust. Avoid contact with eyes and skin. Wear suitable protective clothing and gloves.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: white

Odour: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
рН	11.3	20 °C	
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	> 100 °C		
Decomposition temperature	not determined		
Flash point	not determined		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	≈ 1.04 g/cm³	20 °C	① DIN EN ISO 2811-2
Relative density	not determined		
Bulk density	not determined		
Water solubility	not determined		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

See section 7. No additional measures necessary.

10.5. Incompatible materials

Materials to avoid: Acid, Light metals (Formation of: Hydrogen)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2 Page 6/9



GM+

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

LD₅₀ oral: >2,000 mg/kg (Rat)

LD₅₀ dermal: >5,000 mg/kg (rat) EPA OPPTS 870.1200 (Acute Dermal Toxicity)

LC₅₀ Acute inhalation toxicity (vapour): >2.06 mg/L 4 h (rat) EPA OPPTS 870.1300 (Acute inhalation toxicity)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

EC₅₀: >146 mg/L (Daphnia pulex (water flea))

LC₅₀: >146 mg/L 2 d (Leuciscus idus (golden orfe))

LC₅₀: >146 mg/L 2 d (fish, Leuciscus idus) DIN 38412, Teil 15 (Golden orfe, acute toxicity test). The German standard method for the examination of water, waste water and sludge; bioassays (group L); determination of the effect of substances in water on fish-fish test which corresponds to OECD 203

EC₅₀: 207 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)) DIN 38412, Teil 9 (Algal growth inhibition test), German National Guideline; the method conforms with OECD 201

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2



Page 7/9 GM+

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Silicic acid, potassium salt CAS No.: 1312-76-1 EC No.: 215-199-1

Results of PBT and vPvB assessment: —

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

17 09 04	Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09
	03

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)		
14.1. UN number or I	D number				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.		
14.2. UN proper ship	ping name				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.		
14.3. Transport hazaı	14.3. Transport hazard class(es)				
not relevant	not relevant	not relevant	not relevant		
14.4. Packing group					
not relevant	not relevant	not relevant	not relevant		
14.5. Environmental hazards					
not relevant	not relevant	not relevant	not relevant		
14.6. Special precaut	ions for user				
not relevant	not relevant	not relevant	not relevant		

14.7. Maritime transport in bulk according to IMO instruments

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2 Page 8/9



GM+

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

2008/98/EC, 2001/118/EC, 1999/13/EC, 2004/42/EC, (EC) No. 1907/2006, (EU) 2015/830, 75/324/EEC, 2008/47/EC, (EC) No. 1272/2008, 2008/68/EC, (EC) No. 648/2004

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-quideline).: VOC value 0

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

VOC EU Limit (2004/42/EG) (cat. IIA/h): 30 g/L, VOC value 0 g/L

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Störfallverordnung (12. BlmschV)

Remark:

Not subject to StörfallVO.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

Total dust emission value may not be exceeded (see number 5.2.1).

Water hazard class

WGK:

1 - schwach wassergefährdend

Technische Regeln für Gefahrstoffe

TRGS 200, TRGS 401, TRGS 510, TRGS 900, TRGS 905

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen): BGI 595, BGI 564

Other regulations, restrictions and prohibition regulations

Gefahrstoffverordnung (GefStoffV), Wasserhaushaltsgesetz (WHG)

15.2. Chemical Safety Assessment

not applicable

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data

S	Substance name	Туре	source of supply
5	Silicic acid, potassium salt	LD ₅₀ dermal; LC ₅₀ Acute	Source: European Chemicals Agency,
- 1 -	CAS No.: 1312-76-1 EC No.: 215-199-1	inhalation toxicity (vapour); LC ₅₀ ; EC ₅₀	http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 9 Feb 2023 Print date: 13 Feb 2023

Version: 1.2 Page 9/9



GM+

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

en / DE