

# **SAFETY DATA SHEET**

Version #: 03

Issue date: 27-March-2019 Revision date: 28-March-2023 Supersedes date: 05-July-2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Husqvarna 2-Stroke Oil Guard

of the mixture

Registration number

Synonyms None.

**Product code** 544 97 65-01 (1L), 544 97 65-02 (0,1L)

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Lubrication of 2-stroke engine.

**Uses advised against**Use in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Company name Husqvarna AB

Drottninggatan 2

561 82 Huskvarna, Sweden

**Telephone** +46 (0)36-14 65 00 **Contact person** Accessory Department

E-mail sds.info@husqvarnagroup.com

1.4. Emergency telephone

number

+1-760-476-3961 (Access code 333721)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

Supplemental information on

the label

EUH210 - Safety data sheet available on request.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight. The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a

concentration equal to or greater than 0.1% by weight.

Husqvarna 2-Stroke Oil Guard SDS Ireland

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbons, low viscous	10 - < 20	- 934-954-2	01-2119826592-36-XXXX	-	
Classificat	ion: Asp. Tox. 1	1;H304			
Polyisobutylene derivative	1 - < 5	Polymer -	-	-	
Classificat	ion: Aquatic Ch	ronic 3;H412			

**Composition comments** Mineral oil with additives. The mineral oils in the product contain <3% DMSO extract (IP 346).

> All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

**SECTION 4: First aid measures** 

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. In case of

rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

If high pressure injection under the skin occurs, always seek medical attention.

incision, irrigation, removal of all necrotic tissue and open wound dressing.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any

Exposure may cause temporary irritation, redness, or discomfort.

Provide general supportive measures and treat symptomatically. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound;

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

immediate medical attention and special treatment needed

**SECTION 5: Firefighting measures** 

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

**Special protective** equipment for firefighters

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions

Husqvarna 2-Stroke Oil Guard SDS Ireland 2/8

906396 Version #: 03 Revision date: 28-March-2023 Issue date: 27-March-2019

## 6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

Lubrication of 2-stroke engine. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## Occupational exposure limits

Ireland. Occupational Exposure Limits							
Additional components	Туре	Value	Form				
Oil mist, mineral	TWA	5 mg/m3	Inhalable fraction.				

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information** 

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

Wear appropriate chemical resistant gloves. Glove material: Nitrile butyl rubber (NBR). Use gloves - Hand protection

with breakthrough time of 480 minutes. Minimum glove thickness 0.38 mm. Wear suitable gloves

tested to EN374.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liquid.

Husqvarna 2-Stroke Oil Guard SDS Ireland

Version #: 03 Revision date: 28-March-2023 Issue date: 27-March-2019

Colour Orange. Characteristic. Odour Not determined Melting point/freezing point **Boiling point or initial boiling** Not determined.

point and boiling range

Will burn if involved in a fire.

Upper/lower flammability or explosive limits Not determined. Explosive limit - lower (%)

Explosive limit - upper

Not determined.

(%)

**Flammability** 

Flash point 145 °C (293 °F) (DIN EN ISO 2592)

Not determined. **Auto-ignition temperature Decomposition temperature** Not determined.

pН Material is non soluble in water.

63 mm<sup>2</sup>/s (40 °C) (DIN EN ISO 3104) Kinematic viscosity

Solubility

Solubility (water) Insoluble.

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water) (log value)

Vapour pressure Not determined.

Density and/or relative density

0.87 g/cm3 (15 °C) (DIN EN ISO 12185) Density

Vapour density Not determined.

**Particle characteristics** Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

No relevant additional information available. 9.2.2. Other safety

characteristics

# **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong acids. Strong oxidising agents.

By heating and fire, irritating vapours/gases may be formed. Carbon oxides. 10.6. Hazardous

decomposition products

# **SECTION 11: Toxicological information**

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eve contact** Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Not expected to be acutely toxic.

Husqvarna 2-Stroke Oil Guard SDS Ireland

Version #: 03 Revision date: 28-March-2023 Issue date: 27-March-2019

**Test Results** Components **Species** Hydrocarbons, low viscous (CAS -)

Acute **Dermal** 

> > 2000 mg/kg, 24 Hours LD50 Rat

Inhalation

Aerosol

LC50 Rat > 5266 mg/m3, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Carcinogenicity

single exposure

Respiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Reproductive toxicity Specific target organ toxicity -

Based on available data, the classification criteria are not met.

Specific target organ toxicity repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

Mixture versus substance information

No information available.

11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

**SECTION 12: Ecological information** 

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components **Species Test Results** 

Hydrocarbons, low viscous (CAS -)

Aquatic Acute

LL50 Crustacea Crustacea > 3183 mg/l, 48 hours

LL50 Fish > 1028 mg/l, 96 hours (OECD 203)

Polyisobutylene derivative (CAS Polymer)

Aquatic

Acute

Crustacea EC50 Daphnia > 101 mg/l, 48 hours Fish LC50 Fish 31 mg/l, 96 hours

12.2. Persistence and

degradability

Expected to biodegrade slowly.

12.3. Bioaccumulative potential No data available. Not available. **Partition coefficient** 

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. assessment

Husqvarna 2-Stroke Oil Guard SDS Ireland 12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects Oil spills are generally hazardous to the environment.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions)

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Dispose in accordance with all applicable regulations. This material and/or its container must be

disposed of as hazardous waste. Collect and reclaim or dispose in sealed containers at licensed

waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

#### **ADR**

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned. 14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

#### RID

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods.

14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

### ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

### **IATA**

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

Not assigned. 14.4. Packing group

Husqvarna 2-Stroke Oil Guard SDS Ireland 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

**IMDG** 

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards

Marine pollutant

Not assigned. **EmS** Not assigned. 14.6. Special precautions

for user

Not established. 14.7. Maritime transport in bulk

according to IMO instruments

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

# Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

**National regulations** Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

No Chemical Safety Assessment has been carried out. 15.2. Chemical safety

assessment

# **SECTION 16: Other information**

# List of abbreviations

Husqvarna 2-Stroke Oil Guard

906396 Version #: 03 Revision date: 28-March-2023 Issue date: 27-March-2019

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

EC50: Effective Concentration 50%.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

LC50: Lethal Concentration 50%.

LD50: Lethal Dose 50%. LL50: Lethal level, 50%.

1, 2, 3, 8, 9, 11, 12, 15, 16

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative, toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

vPvB: very Persistent, very Bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full

under sections 2 to 15

This SDS contains revisions in the following section(s):

**Training information** 

**Disclaimer** 

**ECHA CHEM** 

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

Follow training instructions when handling this material.

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Husqvarna 2-Stroke Oil Guard SDS Ireland