Issue date: 27-March-2019 Revision date: 28-March-2023 Supersedes date: 27-March-2019

Version number: 02



SAFETY DATA SHEET

Section 1 - Identification

Product identifier Husqvarna 2-Stroke Oil Guard

Other means of identification

Product code 544 97 65-01 (1L), 544 97 65-02 (0,1L)

Recommended use of the chemical and restrictions on use

Recommended use

Lubrication of 2-stroke engine.

Restrictions on useUse in accordance with supplier's recommendations.

Details of manufacturer or importer

Supplier Husqvarna Australia Pty Ltd

Address 4 Pioneer Avenue, Tuggerah NSW 2252

Country Australia

Telephone +61 2 4352 7400 Contact person Jason Bezzina

E-mail jason.bezzina@husqvarnagroup.com

Emergency Contact Poisons Information Centre; phone 13 12 26

Section 2 - Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s) None.
Signal word None.

Hazard statement(s) The mixture does not meet the criteria for classification.

Precautionary statement(s)

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

Supplemental information Non

Other hazards which do not

result in classification

None known.

Section 3 - Composition and information on ingredients

Mixture

CAS number and other unique identifiers	Concentration of ingredients
64742-46-7	10 - < 20
Polymer	1 - < 5
	unique identifiers 64742-46-7

Composition comments Mineral oil with additives. The mineral oils in the product contain <3% DMSO extract (IP 346).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

Husqvarna 2-Stroke Oil Guard SDS Australia

906396 Version #: 02 Revision date: 28-March-2023 Issue date: 27-March-2019

Section 4 - First aid measures

Description of necessary first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Wash off with soap and water. Get medical attention if irritation develops and persists. In case of Skin contact

rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

If high pressure injection under the skin occurs, always seek medical attention.

Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur.

Ingestion

Personal protection for first-aid

responders

Eye contact

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Symptoms caused by exposure

Medical attention and special

treatment

Provide general supportive measures and treat symptomatically. HIGH PRESSURE SKIN

INJECTION: Physician must be familiar with local procedures for treatment of this type of wound;

incision, irrigation, removal of all necrotic tissue and open wound dressing.

Section 5 - Firefighting measures

Extinguishing media

Suitable extinguishing

equipment

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

equipment

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Direct contact with eyes may cause temporary irritation.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

None. Hazchem code

General fire hazards

No unusual fire or explosion hazards noted.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Section 7 - Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of

the SDS).

Section 8 - Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Husqvarna 2-Stroke Oil Guard SDS Australia

Version #: 02 Revision date: 28-March-2023 Issue date: 27-March-2019

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Additional components Type Value

Oil mist, mineral TWA 5 mg/m3

US. ACGIH Threshold Limit Values

Additional components

Type

Value

Form

Oil mist, mineral

TWA

5 mg/m3

Inhalable fraction.

on mot, militari

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Additional componentsTypeValueFormOil mist, mineralTWA5 mg/m3Respirable fraction.

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Control banding Not established.

Engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Glove material: Nitrile butyl rubber (NBR). Use gloves

with breakthrough time of 480 minutes. Minimum glove thickness 0.38 mm.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Section 9 - Physical and chemical properties

Physical state

Form
Liquid.
Colour
Orange.
Odour
Characteristic.
Odour threshold
Not available.

pH Material is non soluble in water.

Melting point/freezing point Not determined.

Boiling point and boiling range Not determined.

Flash point 145 °C (293 °F) (DIN EN ISO 2592)

Evaporation rate Not determined.

Flammability (solid, gas) Not applicable.

Upper/lower explosive limits

Explosion limit - lower (%) Not determined.

Explosion limit - upper (%) Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density Not determined.

Solubility

Solubility (water) Insoluble.

Partition coefficient: Not applicable, product is a mixture.

n-octanol/water

Husqvarna 2-Stroke Oil Guard SDS Australia

906396 Version #: 02 Revision date: 28-March-2023 Issue date: 27-March-2019

Not determined. **Auto-ignition temperature** Not determined. **Decomposition temperature**

63 mm²/s (40 °C) (DIN EN ISO 3104) **Viscosity** Not applicable, material is a liquid. **Particle characteristics**

Data relevant with regard to physical hazard classes

No relevant additional information available.

Strong acids. Strong oxidising agents.

Other physical and chemical parameters

0.87 g/cm3 (15 °C) (DIN EN ISO 12185) **Density**

Section 10 - Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Keep away from heat, hot surfaces, sparks, open flames and Conditions to avoid

other ignition sources. Avoid temperatures exceeding the flash point.

Incompatible materials

Hazardous decomposition

products

By heating and fire, irritating vapours/gases may be formed. Carbon oxides.

Section 11 - Toxicological information

Information on possible routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Direct contact with eyes may cause temporary irritation. Eye contact

Expected to be a low ingestion hazard. Ingestion

Early onset symptoms related

to exposure

Direct contact with eyes may cause temporary irritation.

Delayed health effects from

exposure

Not available.

Not expected to be acutely toxic. **Acute toxicity**

Test Results Components **Species**

Hydrocarbons, low viscous (CAS 64742-46-7)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50 Rat > 5266 mg/m3, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/irritation

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Husqvarna 2-Stroke Oil Guard SDS Australia

Version #: 02 Revision date: 28-March-2023 Issue date: 27-March-2019 Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

Section 12 - Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

> 3183 mg/l, 48 hours

Components Species Test Results

Hydrocarbons, low viscous (CAS 64742-46-7)

Aquatic

Acute

Fish

Crustacea LL50 Crustacea

LL50 Fish > 1028 mg/l, 96 hours (OECD 203)

Polyisobutylene derivative (CAS Polymer)

Aquatic

Acute

Crustacea EC50 Daphnia > 101 mg/l, 48 hours Fish LC50 Fish 31 mg/l, 96 hours

Persistence and degradability

Expected to biodegrade slowly.

Bioaccumulative potential

Mobility in soil

No data available.

The product is insoluble in water. It will spread on the water surface while some of the components will eventually sediment in water systems. The volatile components of the product will spread in the

atmosphere. The product is immiscible with water and will spread on the water surface. The

product adsorbs strongly to soil.

Other adverse effects Oil spills are generally hazardous to the environment.

Section 13 - Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Residual waste Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Section 14 - Transport information

ADG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

Section 15 - Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals.

The components of this product are listed, or are exempt from listing, on the Australian Inventory

of Industrial Chemicals (AIIC)

Husqvarna 2-Stroke Oil Guard SDS Australia

High Volume Industrial Chemicals (HVIC)

Not listed.

Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10, as amended)

Not listed

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Section 16 - Any other relevant information

Issue date27-March-2019Revision date28-March-2023

5050 5"

Key abbreviations or acronyms

EC50: Effective Concentration 50%.

used IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

LC50: Lethal Concentration 50%.

LD50: Lethal Dose 50%. LL50: Lethal level, 50%.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

References ECHA CHEM

Disclaimer Husqvarna AB cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Husqvarna 2-Stroke Oil Guard SDS Australia