Issue date: 28-March-2018 Revision date: 05-April-2023 Supersedes date: 28-March-2018 Version number: 02

尚Husqvarna

SAFETY DATA SHEET

Section 1 - Identification

Product identifier Husqvarna 2-Stroke Oil HP

Other means of identification

Product code 587 80 85-01 (0.1L.), 587 80 85-10 (1L.), 587 80 85-11 (1L.), 587 80 85-12 (1L.), 587 80 85-20

(4L.), 587 80 85-30 (20L.), 587 80 85-40 (208L.)

Recommended use of the chemical and restrictions on use

Recommended use Lubrication of 2-stroke engine.

Restrictions on useUse in accordance with supplier's recommendations.

Details of manufacturer or importer

Supplier Husqvarna Australia Pty Ltd

Address 4 Pioneer Avenue, Tuggerah NSW 2252

Country Australia

Telephone +61 2 4352 7400 Contact person Jason Bezzina

E-mail jason.bezzina@husqvarnagroup.com

Emergency Contact Poisons Information Centre; phone 13 12 26

Section 2 - Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s) None.
Signal word None.

Hazard statement(s) The mixture does not meet the criteria for classification.

Precautionary statement(s)

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

Supplemental information None.

Other hazards which do not

result in classification

None known.

Section 3 - Composition and information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Hydrocarbons, low viscous	64742-46-7	10 - < 20
Polyisobutylene derivative	Polymer	1 - < 5

Composition comments Mineral oil with additives. The mineral oils in the product contain <3% DMSO extract (IP 346).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

Husqvarna 2-Stroke Oil HP SDS Australia

942437 Version #: 02 Revision date: 05-April-2023 Issue date: 28-March-2018

Section 4 - First aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. In case of

rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

If high pressure injection under the skin occurs, always seek medical attention.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Symptoms caused by exposure

Medical attention and special

treatment

Direct contact with eyes may cause temporary irritation.

Treat symptomatically. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local

procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue

and open wound dressing.

Section 5 - Firefighting measures

Extinguishing media

Suitable extinguishing

equipment

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

equipment

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Hazchem code None.

General fire hazards No unusual fire or explosion hazards noted.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

Environmental precautions

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Section 7 - Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

Section 8 - Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Husqvarna 2-Stroke Oil HP SDS Australia

942437 Version #: 02 Revision date: 05-April-2023 Issue date: 28-March-2018

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Product Type Value

Oil mist, mineral TWA 5 mg/m3

US. ACGIH Threshold Limit Values

 Product
 Type
 Value
 Form

 Oil mist, mineral
 TWA
 5 mg/m3
 Inhalable fraction.

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds

in the Work Area (DFG)

ProductTypeValueFormOil mist, mineralTWA5 mg/m3Respirable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

Control banding Not established.

Engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Glove material: Nitrile butyl rubber (NBR). Use gloves

with breakthrough time of 480 minutes. Minimum glove thickness 0.38 mm.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Section 9 - Physical and chemical properties

Physical stateLiquid.FormLiquid.ColourBlue.

Odour Characteristic.
Odour threshold Not available.

pH Material is non soluble in water.

Melting point/freezing point Not determined.

Boiling point and boiling range Not determined.

Flash point 145 °C (293 °F) (DIN EN ISO 2592)

Evaporation rate Not determined.

Flammability (solid, gas) Not applicable.

Upper/lower explosive limits

Explosion limit - lower (%) Not determined.

Explosion limit - upper (%) Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density Not determined.

Solubility

Solubility (water) Insoluble.

Partition coefficient: Not applicable, product is a mixture.

n-octanol/water

Husqvarna 2-Stroke Oil HP SDS Australia

942437 Version #: 02 Revision date: 05-April-2023 Issue date: 28-March-2018

Auto-ignition temperature Not determined.

Decomposition temperature Not determined.

Viscosity 63 mm²/s (40 °C) (DIN EN ISO 3104)

Particle characteristics Not applicable, material is a liquid.

Data relevant with regard to physical hazard classes

No relevant additional information available.

Other physical and chemical parameters

Density 0.87 g/cm³ (15 °C) (DIN EN ISO 12185)

Section 10 - Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on possible routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Early onset symptoms related

to exposure

Direct contact with eyes may cause temporary irritation.

Delayed health effects from

exposure

Not available.

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Hydrocarbons, low viscous (CAS 64742-46-7)

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50 Rat > 5266 mg/m3, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/irritation** Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Husqvarna 2-Stroke Oil HP SDS Australia

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

Section 12 - Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Hydrocarbons, low viscous (CAS 64742-46-7)

Aquatic

Acute

Crustacea LL50 Crustacea > 3183 mg/l, 48 hours

Fish LL50 Fish > 1028 mg/l, 96 hours (OECD 203)

Polyisobutylene derivative (CAS Polymer)

Aquatic

Acute

Crustacea EC50 Daphnia > 101 mg/l, 48 hours Fish LC50 Fish 31 mg/l, 96 hours

Persistence and degradability Expected to biodegrade slowly.

Bioaccumulative potential No data available.

Mobility in soil The product is immiscible with water and will spread on the water surface.

Other adverse effects Oil spills are generally hazardous to the environment.

Section 13 - Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in

accordance with all applicable regulations.

Residual waste Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal

Section 14 - Transport information

ADG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

Section 15 - Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the

preparation of Safety Data Sheets for Hazardous Chemicals.

The components of this product are listed, or are exempt from listing, on the Australian Inventory

of Industrial Chemicals (AIIC)

High Volume Industrial Chemicals (HVIC)

Not listed.

Husqvarna 2-Stroke Oil HP SDS Australia

Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10, as amended)

Not listed

National Pollutant Inventory (NPI) substance reporting list

Not listed

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Section 16 - Any other relevant information

Issue date 28-March-2018
Revision date 05-April-2023

Key abbreviations or acronyms EC

used

EC50: Effective Concentration 50%.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

LC50: Lethal Concentration 50%.

LD50: Lethal Dose 50%. LL50: Lethal level, 50%.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

References ECHA CHEM

Disclaimer Husqvarna AB cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Husqvarna 2-Stroke Oil HP SDS Australia