

SAFETY DATA SHEET

Version #: 02

Issue date: 02-March-2018 Revision date: 05-April-2023 Supersedes date: 02-March-2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Husqvarna 2-Stroke Oil HP

of the mixture

Registration number

Synonyms None.

Product code 587 80 85-01 (0.1L.), 587 80 85-10 (1L.), 587 80 85-11 (1L.), 587 80 85-12 (1L.), 587 80 85-20

(4L.), 587 80 85-30 (20L.), 587 80 85-40 (208L.)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubrication of 2-stroke engine.

Uses advised against

Use in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Company name Husqvarna AB

Drottninggatan 2

561 82 Huskvarna, Sweden

Telephone +46 (0)36-14 65 00

Contact person Accessory Department

E-mail sds.info@husqvarnagroup.com

1.4. Emergency telephone

number

+1-760-476-3961 (Access code 333721)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

Supplemental information on

the label

EUH210 - Safety data sheet available on request.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight. The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in

Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a

concentration equal to or greater than 0.1% by weight.

Husqvarna 2-Stroke Oil HP SDS Ireland

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbons, low viscous	10 - < 20	-	01-2119826592-36-XXXX	-	
		934-954-2			
Classificat	ion: Asp. Tox. 1	1;H304			
Polyisobutylene derivative	1 - < 5	Polymer	-	-	
		-			
Classificat	ion: Aquatic Ch	ronic 3;H412			

Composition comments Mineral oil with additives. The mineral oils in the product contain <3% DMSO extract (IP 346).

> All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. In case of

rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

If high pressure injection under the skin occurs, always seek medical attention.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. HIGH PRESSURE SKIN INJECTION: Physician must be familiar with local procedures for treatment of this type of wound; incision, irrigation, removal of all necrotic tissue

and open wound dressing.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Husqvarna 2-Stroke Oil HP SDS Ireland

Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018

6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

Lubrication of 2-stroke engine.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ireland. Occupational Exposure Limits Product	Туре	Value	Form
Oil mist, mineral	TWA	5 mg/m3	Inhalable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect

concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.

Skin protection

Wear appropriate chemical resistant gloves. Glove material: Nitrile butyl rubber (NBR). Use gloves - Hand protection

with breakthrough time of 480 minutes. Minimum glove thickness 0.38 mm. Wear suitable gloves

tested to EN374.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liquid.

Husqvarna 2-Stroke Oil HP SDS Ireland

942437 Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018

Colour Blue.

Odour Characteristic.

Melting point/freezing point Not determined.

Boiling point or initial boiling Not determined.

point and boiling range

Flammability Will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not determined.

Explosive limit – upper Not determined.

(%)

Flash point 145 °C (293 °F) (DIN EN ISO 2592)

Auto-ignition temperature Not determined.

Decomposition temperature Not determined.

pH Material is non soluble in water.

Kinematic viscosity 63 mm²/s (40 °C) (DIN EN ISO 3104)

Solubility

Solubility (water) Insoluble.

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water) (log value)

Vapour pressure Not determined.

Density and/or relative density

Density 0.87 g/cm³ (15 °C) (DIN EN ISO 12185)

Vapour density Not determined.

Particle characteristics Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

to physical hazard classes 9.2.2. Other safety

No relevant additional information available.

characteristics

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Hydrocarbons, low viscous (CAS -)

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Husqvarna 2-Stroke Oil HP SDS Ireland

Test Results Components **Species** Inhalation Aerosol LC50 Rat > 5266 mg/m3, 4 Hours Oral LD50 Rat > 5000 mg/kg Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met. irritation Respiratory sensitisation Based on available data, the classification criteria are not met Skin sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity Specific target organ toxicity -Based on available data, the classification criteria are not met. single exposure Specific target organ toxicity -Based on available data, the classification criteria are not met. repeated exposure **Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment

Components Species Test Results Hydrocarbons, low viscous (CAS -) Aquatic

Acute

Crustacea LL50 Crustacea > 3183 mg/l, 48 hours

LL50 Fish > 1028 mg/l, 96 hours (OECD 203) Fish

Polyisobutylene derivative (CAS Polymer)

Aquatic

Acute

EC50 Daphnia > 101 mg/l, 48 hours Crustacea 31 mg/l, 96 hours Fish LC50 Fish

12.2. Persistence and Expected to biodegrade slowly.

degradability

No data available. 12.3. Bioaccumulative potential

Partition coefficient

Not available

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Oil spills are generally hazardous to the environment. 12.7. Other adverse effects

Husqvarna 2-Stroke Oil HP SDS Ireland 5/8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in Disposal methods/information

accordance with all applicable regulations. This material and/or its container must be disposed of

as hazardous waste.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned. 14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ΙΔΤΔ

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.

Husqvarna 2-Stroke Oil HP SDS Ireland

Version #: 02 Revision date: 05-April-2023 Issue date: 02-March-2018

14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant

No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

EC50: Effective Concentration 50%.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

Husqvarna 2-Stroke Oil HP SDS Ireland

LC50: Lethal Concentration 50%.

LD50: Lethal Dose 50%. LL50: Lethal level, 50%.

1, 2, 3, 8, 9, 11, 12, 15, 16

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative, toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

vPvB: very Persistent, very Bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements,

which are not written out in full under sections 2 to 15

This SDS contains revisions in the following section(s):

Training information

Disclaimer

ECHA CHEM

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

Follow training instructions when handling this material.

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Husqvarna 2-Stroke Oil HP SDS Ireland